

# KLIME-EZEE

## PRODUCT CATALOGUE

---



# Table of Contents

03	COLOURS
04	NARROW AISLE PRO RANGE
05	LIGHT WEIGHT RANGE
06	INDUSTRIAL RANGE
07	KNOCK DOWN RANGE
08	EXTRA WIDE RANGE
09	HEAVY DUTY RANGE
10	ACCESS PLATFORMS
11	TRUCK DOCK RANGE
12	MODIFICATIONS & OPTIONS
14	SPARES

---

# COLOURS


## COLOUR AS STANDARD

UNLESS STATED OTHERWISE



## OTHER COLOURS

FREE OF CHARGE



## OTHER COLOURS

PRICE ON APPLICATION

RAL 1000	RAL 1001	RAL 1002	RAL 1003	RAL 1004	RAL 1005	RAL 1006	RAL 1007
RAL 1011	RAL 1012	RAL 1013	RAL 1014	RAL 1015	RAL 1016	RAL 1017	RAL 1018
RAL 1019	RAL 1020	RAL 1021	RAL 1023	RAL 1024	RAL 1027	RAL 1028	RAL 1032
RAL 1033	RAL 1034	RAL 2000	RAL 2001	RAL 2002	RAL 2003	RAL 2004	RAL 2008
RAL 2009	RAL 2010	RAL 2011	RAL 2012	RAL 3000	RAL 3001	RAL 3002	RAL 3003
RAL 3004	RAL 3005	RAL 3007	RAL 3009	RAL 3011	RAL 3012	RAL 3013	RAL 3014
RAL 3015	RAL 3016	RAL 3017	RAL 3018	RAL 3020	RAL 3022	RAL 3027	RAL 3031
RAL 4001	RAL 4002	RAL 4003	RAL 4004	RAL 4005	RAL 4006	RAL 4007	RAL 4008
RAL 4009	RAL 5000	RAL 5001	RAL 5002	RAL 5003	RAL 5004	RAL 5005	RAL 5007
RAL 5008	RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014	RAL 5015
RAL 5017	RAL 5018	RAL 5019	RAL 5020	RAL 5021	RAL 5022	RAL 5023	RAL 5024
RAL 6000	RAL 6001	RAL 6002	RAL 6003	RAL 6004	RAL 6005	RAL 6006	RAL 6007
RAL 6008	RAL 6009	RAL 6010	RAL 6011	RAL 6012	RAL 6013	RAL 6014	RAL 6015
RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6020	RAL 6021	RAL 6022	RAL 6024
RAL 6025	RAL 6026	RAL 6027	RAL 6028	RAL 6029	RAL 6032	RAL 6033	RAL 6034
RAL 7000	RAL 7001	RAL 7001	RAL 7002	RAL 7003	RAL 7004	RAL 7005	RAL 7006
RAL 7008	RAL 7009	RAL 7010	RAL 7011	RAL 7012	RAL 7013	RAL 7015	RAL 7016
RAL 7021	RAL 7022	RAL 7023	RAL 7024	RAL 7026	RAL 7030	RAL 7031	RAL 7032
RAL 7033	RAL 7034	RAL 7035	RAL 7036	RAL 7037	RAL 7038	RAL 7039	RAL 7040
RAL 7042	RAL 7043	RAL 7044	RAL 8000	RAL 8001	RAL 8002	RAL 8003	RAL 8004
RAL 8007	RAL 8008	RAL 8011	RAL 8012	RAL 8014	RAL 8015	RAL 8016	RAL 8017
RAL 8019	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8028	RAL 9001	RAL 9002
RAL 9003	RAL 9004	RAL 9005	RAL 9010	RAL 9011	RAL 9016	RAL 9017	RAL 9018



# KNA | NARROW AISLE PRO RANGE


The KLIME-EZEE Narrow Aisle Pro Range (KNA) is engineered to operate efficiently in confined spaces, including warehouse aisles, archives, and office environments where space saving is crucial. Built with durability in mind, the step is fully welded, providing a robust solution ready for immediate use. The KNA has a platform size of 450mm(W) x 400mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.




## TREAD OPTIONS




PUNCHED METAL



ANTI-SLIP PVC



RIBBED RUBBER



KNA08

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KNA 02	500	1500	590	582	11	Plunger Castors
KNA 03	750	1750	590	735	19	Plunger Castors
KNA 04	1000	2000	590	920	27	Plunger Castors
KNA 05	1250	2250	630	1150	36	Central Brake
KNA 06	1500	2500	630	1360	50	Central Brake
KNA 07	1750	2750	630	1510	51	Central Brake
KNA 08	2000	3000	630	1580	54	Central Brake




# KL | LIGHT WEIGHT RANGE


The Light Weight Range shares the same design and specifications as the KE-Industrial Range but is crafted from 19mm tubing instead of 25mm, making it a lighter yet equally reliable option. This range is perfect for use in stores, archives, warehouses, and office environments, offering excellent versatility and adaptability. The KL has a platform size of 550mm(W) x 400mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.




## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC



RIBBED RUBBER



KL04

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KL 02	500	1500	650	605	17	Plunger Castors
KL 03	750	1750	650	758	18	Plunger Castors
KL 04	1000	2000	650	911	28	Plunger Castors
KL 05	1250	2250	850	1178	34	Central Brake
KL 06	1500	2500	850	1332	39	Central Brake



# KE | INDUSTRIAL RANGE


The KLIME-EZEE Industrial Range is engineered for demanding environments, offering unmatched durability and safety. Its sturdy construction ensures long-term reliability while meeting the rigorous requirements of industrial applications. It is ideal for warehouses, factories, and high-traffic environments. The KE has a platform size of 550mm(W) x 400mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.




## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC



RIBBED RUBBER



KE13

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KE 03	750	1750	850	820	26	Side Brake
KE 04	1000	2000	850	1040	30	Central Brake
KE 05	1250	2250	850	1270	44	Central Brake
KE 06	1500	2500	850	1360	52	Central Brake
KE 07	1750	2750	850	1450	60	Central Brake
KE 08	2000	3000	850	1575	73	Central Brake
KE 09	2250	3250	850	1730	77	Central Brake
KE 10	2500	3500	1000	1905	80	Central Brake
KE 11	2750	3750	1000	2070	82	Central Brake
KE 12	3000	4000	1000	2230	86	Central Brake
KE 13	3250	4250	1230	2470	95	Central Brake
KE 14	3500	4500	1230	2630	107	Central Brake
KE 15	3750	4750	1320	2795	109	Central Brake



# KK | KNOCK DOWN RANGE

The KLIME-EZEE Knock Down Range (KK) is a 'flat-packed' version of our Industrial range, ideal for warehouses with tight access restrictions. It retains all of the key features of the Industrial range while being designed for easy transport through narrow spaces. Once inside your building, it assembles quickly, ready for immediate use. The KK has a platform size of 550mm(W) x 400mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.




KK08


## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC



RIBBED RUBBER

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KK 05	1250	2250	850	1270	55	Central Brake
KK 06	1500	2500	850	1360	62	Central Brake
KK 07	1750	2750	850	1450	70	Central Brake
KK 08	2000	3000	850	1575	78	Central Brake
KK 09	2250	3250	850	1730	90	Central Brake
KK 10	2500	3500	1000	1905	98	Central Brake
KK 11	2750	3750	1000	2070	105	Central Brake
KK 12	3000	4000	1000	2230	116	Central Brake
KK 13	3250	4250	1230	2470	125	Central Brake
KK 14	3500	4500	1230	2630	130	Central Brake
KK 15	3750	4750	1320	2795	138	Central Brake




# KW | EXTRA WIDE RANGE


The KLIME-EZEE Extra Wide Range (KW) is designed for tasks requiring enhanced stability. With its wider framework and steps, this range ensures greater comfort for users, making it ideal for applications that involve handling bulky items or require additional working space. The KW has a platform size of 700mm(W) x 400mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.



## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC



KW07

### OVERALL


Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KW 03	750	1750	995	820	42	Side Brake
KW 04	1000	2000	995	1040	51	Central Brake
KW 05	1250	2250	995	1270	75	Central Brake
KW 06	1500	2500	995	1360	82	Central Brake
KW 07	1750	2750	995	1450	90	Central Brake
KW 08	2000	3000	995	1575	98	Central Brake
KW 09	2250	3250	995	1730	110	Central Brake
KW 10	2500	3500	1150	1905	118	Central Brake
KW 11	2750	3750	1150	2070	125	Central Brake
KW 12	3000	4000	1150	2230	136	Central Brake
KW 13	3250	4250	1380	2470	145	Central Brake
KW 14	3500	4500	1380	2630	150	Central Brake
KW 15	3750	4750	1470	2795	158	Central Brake






# KHD | HEAVY DUTY RANGE

The KLIME-EZEE Heavy-Duty Range (KHD) is designed for intensive use in demanding environments. With reinforced structure, it's an ideal solution for industrial settings requiring high-capacity support and durability. This range comes with a large platform as standard. The KHD has a platform size of 700mm(W) x 600mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.




KHD10

## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KHD 05	1250	2250	995	1470	90	Central Brake
KHD 06	1500	2500	995	1560	98	Central Brake
KHD 07	1750	2750	995	1650	112	Central Brake
KHD 08	2000	3000	995	1775	118	Central Brake
KHD 09	2250	3250	995	1930	127	Central Brake
KHD 10	2500	3500	1150	2105	144	Central Brake
KHD 11	2750	3750	1150	2270	150	Central Brake
KHD 12	3000	4000	1150	2430	163	Central Brake
KHD 13	3250	4250	1380	2670	174	Central Brake
KHD 14	3500	4500	1380	2830	180	Central Brake
KHD 15	3750	4750	1470	2995	190	Central Brake



# KAP | ACCESS PLATFORMS

The KLIME-EZEE Access Platform (KAP) range is designed for heavy-duty use, featuring strengthened treads and an extra-large platform with one side exit chains included as standard (allowing customers to choose which side the exit is on). If you prefer a version with all fixed sides, or require other customisation please refer to pages 12-13 - options and extras for more information.


This platform is highly favoured by customers for loading and unloading vehicles. The Access Platforms have a generous platform size as standard of 700mm(W) x 1600mm(D).



## TREAD OPTIONS



PUNCHED METAL



ANTI-SLIP PVC



Product Code	Platform Height	OVERALL				
		Height	Width	Length	Weight	Brake Type
KAP 02	500	1500	1000	1805	65	Side Brake
KAP 03	750	1750	1000	1960	76	Side Brake
KAP 04	1000	2000	1000	2110	78	Central Brake
KAP 05	1250	2250	1000	2470	89	Central Brake
KAP 06	1500	2500	1000	2560	95	Central Brake
KAP 07	1750	2750	1000	2650	108	Central Brake
KAP 08	2000	3000	1000	2775	111	Central Brake



# KTD | TRUCK DOCK RANGE

The KLIME-EZEE Truck Dock Range (KTD) is specifically designed for efficient loading and unloading of vehicles. This durable and robust range is perfect for environments where safe and stable access to truck beds, containers and machinery is essential. Its ergonomic design prioritises user safety while ensuring smooth operations with a 45 degree angle of ascent. Popular in logistics centres, warehouses, and distribution hubs, this range is built to withstand heavy use and built to last over time.

This product is manufactured to have a generous working area as standard, built for durability and convenience, the Truck Dock Range comes fully welded and ready to use. The KTD has a platform size of 700mm(W) x 1200mm(D) and offers a high degree of customisation with our options and extras, see page 12-13 for more information.



KTD06


 **MADE IN BRITAIN**

 **500 KG**

## TREAD OPTIONS



**PUNCHED METAL**



**ANTI-SLIP PVC**

### OVERALL

Product Code	Platform Height	Height	Width	Length	Weight	Brake Type
KTD 05	1000	2000	995	2100	66	Side Brake
KTD 06	1200	2200	995	2300	97	Side Brake
KTD 07	1400	2400	995	2500	128	Side Brake
KTD 08	1600	2600	995	2700	158	Side Brake
KTD 09	1800	2800	995	2900	189	Side Brake

# MODIFICATIONS & OPTIONS

With our fantastic range of standard options and extras, you can create a fully customised product tailored just for you! Thanks to our super smooth manufacturing process, you can be confident that your choices won't delay the lead time.



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Plate Feet	2+	2+	3+	5+	3+	5+	5 - 9	2 - 8



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Skid Feet	2+	2+	3 - 6	5 - 6	3 - 6	-	-	-




Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Plunger Castors	2 - 4	2 - 4	-	-	-	-	-	-



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Lift & Push	2 - 6	2 - 6	3 - 6	-	3 - 6	-	-	-



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Side Brake	3+	3+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Central Brake	4+	4+	4+	5+	4+	5+	-	4+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Bottom Chain	5+	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Bottom Gate	-	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Entrance Gate	-	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Entrance Chain	5+	5+	3+	5+	3+	5+	5+	2+

# MODIFICATIONS & OPTIONS



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Rear Exit Chain	5+	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Rear Exit Gate	-	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Side Exit Chain	5+	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Side Exit Gate	-	5+	3+	5+	3+	5+	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Double Gates	-	-	-	-	-	-	-	2+




Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Removable Sides	-	-	-	-	-	-	5+	2+



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
1 Tread Platform Extension	5+	5+	3+	5 - 15	3+	5 - 12	N/A	N/A



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
2 Tread Platform Extension	5+	5+	3 - 12	5 - 12	3 - 12	5 - 12	N/A	N/A



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
3 Tread Platform Extension	-	5+	3 - 9	5 - 9	3 - 9	-	N/A	N/A



Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Flush Back Legs	-	-	4+	5+	3+	5+	-	-





Type	Narrow Aisle	Light Weight	Industrial	Knock Down	Extra Wide	Heavy Duty	Truck Dock	Access Platform
Reduced Axle	-	-	3+ (Max < to 750mm)	-	3+ (Max < to 900mm)	5+ (Max < to 900mm)	5+ (Max < to 900mm)	3+ (Max < to 900mm)

# SPARES

Castors	Product Code	Description	Includes	Fit
	SPSSC	Set Of 4 Swivel Castors Without Assemblies 75mm	4 x Castors & Nuts	KNA 2 - 4, KL 2 - 4
	SPSCL	Pair Of Large Rubber Tyred Swivel Castors 125mm	2 x Castors, Bolts, Nuts & Reducing Washers	KE, KW, KK, KL05+, KNA05+
	SPCLH	Pair Of Large Heavy Duty Castors 125mm	2 x Castors, Bolts, Nuts & Reducing Washers	KTD, KAP, KHD, KE, KW, KK
	SPSCA	Set Of 4 Swivel Castors With Plunger Assemblies 75mm	4 x Castors, Inner & Outer Sleeves, Springs, Threaded Bar & Nuts	KNA 2 - 4, KL 2 - 4


Wheels	Product Code	Description	Includes	Fit
	SPRWS	Pair Of Small Rubber Tyred Wheels 160mm	2 x Wheels, Axle Caps & Washers	2 - 6 Tread Steps
	SPRWL	Pair Of Large Rubber Tyred Wheels 200mm	2 x Wheels, Axle Caps & Washers	KE, KK, KW, KNA ( 7 - 15 treads)
	SPWLS	Pair Of 2 Large Steel centered Wheels 200mm	2 x Wheels, Axle Caps & Washers	All KHD, KAP & KTD
	SPWXL	Pair Of Extra Large Rubber Tyred Wheels 250mm	2 x Wheels, Axle Caps & Washers	Bespoke Units
	SPWLP	Pair Of 2 Extra Large Puncture Proof Wheels 260mm	2 x Wheels, Axle Caps & Washers	If Previously Fitted

Refurb Packs	Product Code	Description	Includes	Fit
	SPRPA	Refurb Pack A	Large wheels (1 Pair) inc. Washers & Axle caps Large castors (1 Pair) inc. nuts, Release hand lever sticker (1) Important information sticker (1), Do not overreach sticker (1)	KE 7 - 15 treads, KK 7 - 16 treads KW 7 - 15 treads, KNA ranges with 7 - 8 treads
	SPRPB	Refurb Pack B	Steel centred wheels (1 Pair) inc. Washers & Axle caps Heavy duty castors (1 Pair) inc. nuts Release hand lever sticker (1), Important information sticker (1) Do not overreach sticker (1), Close platform exit sticker (1)	KHD 5 - 15 treads KAP 2 - 8 treads KTD 5 - 9 treads
	SPRPC	Refurb Pack C	Small wheels (1 Pair) inc. Washers & Axle caps Large castors (1 Pair) inc. nuts, Release hand lever sticker (1) Important information sticker (1) Do not overreach sticker (1)	KNA & KL 5 - 6 Treads KE 3 - 6 Treads, KK 5 - 6 Treads KW 2 - 6 Treads
	SPRPD	Refurb Pack D	75mm castors & plunger housings (4) Rubber feet (4) Warning sticker (1) Important information sticker (1) Do not overreach sticker (1)	KNA & KL 2 - 4 Treads

Brakes	Product Code	Description	Includes	Fit
	SPCLB	Central Lever Braking System	Central Brake, 2 x Hand Grips, 2 x Hub Caps, 1 x Spring	Existing Central Brake
	SPSLB	Side Lever Braking System	Side Brake, 1 x Handgrip, 2 x Hub Caps, 1 x Spring	Existing Side Handle Brake
	SPRHG	Rubber Hand Grips 25mm	2 x Rubber Hand Grips	Existing Central Brake
	SPRFG	Side Handle Handgrip	1 x Flat Plastic Handgrip	Existing Side Handle Brake

Feet	Product Code	Description	Includes	Fit
	SPF19	19mm Black Rubber Foot	1 Foot	KL 2 - 4

# SPARES

Other	Product Code	Description	Includes	Fit
	SPRSC	Retractor Spring & Hub Caps	1 x Retractor Spring, 2 x Hub Caps	Steps With Braking System
	SPHCW	Axle Caps & Washers	2 x Axle Caps & Washers	25mm Axle
	SPECH	Spare Exit Chain	1 x Chain Including Clips	Walk Through Exit
	TRC45	Tread Coverings	1 x [400x150x3mm] PVC or Rubber Tread covering	KNA range
	TRC55	Tread Coverings	1 x [500x150x3mm] PVC or Rubber Tread covering	KL, KE & KK ranges
	TRC70	Tread Coverings	1 x [650x150x3mm] PVC or Rubber Tread covering	KW, KAP, KTD & KHD ranges
	SPLBL	Safety Label (Important Information, Warranty, Release Hand Lever, Do Not Over-reach, Warning, Close Platform Exit)	1 x Label of your choice (Please Specify)	If Previously Fitted